



PAINTS AND COATINGS


D1	DISPLAY STAND 2017
----	--------------------

Hycote has manufactured paints, coatings and maintenance products in the UK since 1982.

Working closely with the trade, independent retailers and consumers, we continuously strive to be the best. Our state of the art technical centre researches the latest coating technologies and houses the latest coating test equipment including accelerated weathering and corrosion testing. Hycote products give professional results with superior coverage, extreme durability, super fast drying with no runs or drips. Each of these industry standard tests are designed to simulate situations that could happen to your automotive during every day usage.

THE CROSS HATCH TEST

Results



The paint film is cut in a cross pattern before pressure sensitive tape is applied. The tape is removed rapidly to assess adhesion of the paint to the substrate. The more the paint detaches from the surface of the substrate, the worse the level of adhesion. This illustrates the superior adhesion of Hycote red primer compared to leading brand A.

The Cross Hatch simulates scratches that regularly happen to automotive paintwork and the ability to adhere to the metal or filler without flaking.

THE CONICAL MANDREL TEST

Results



The paint film is bent to an extreme angle in a conical mandrel. Any cracking or peeling of the paint demonstrates poor flexibility. These images demonstrate the superior flexibility of Hycote primer compared with leading brand B.

This test simulates a knock or dent to a panel and the paints ability to resist cracking.

THE SPRAY COVERAGE TEST

Results



A single coat of paint is applied to contrast cards and allowed to dry in a vertical position. The paint film is assessed for sag resistance and coverage. These images demonstrate superior coverage, sag and run resistance of Hycote primer compared with leading brand C.

Imagine spending hours filling and sanding to a flawless, smooth finish only to apply a thin coat of primer and it just running down the prepared area, let it dry, sand it down and start again! Not with Hycote "The Perfect Finish" every time.

THE SURFACE FINISH TEST

Results



Multiple coats of paint are applied to a contrast card until full coverage is obtained. The card is then dried and the surface appearance and smoothness accessed.


These images illustrate the bitty and uneven finish on leading brand D which is caused by incompatibility or undissolved resin of the paint.

Notice the smoothness and shine of finish on the Hycote paint product.



D1 DISPLAY STAND

Exact Colour Match Paint



The Hycote exact colour match paint range in 150ml size and as a colour brush is now available in the new Hycote display stand.

This range provides paints which have been matched by the Hycote Technical team to specific manufacturers and models, and a small range of basic colours, primers and lacquer. The range consists of 150ml double acrylic concentrated paint with compressed aerosol technology, which means the consumer achieves up to the same coverage as a conventional 300ml size aerosol. Also available is the Hycote colour brush, which is quick and easy to use for chips and scratches.


315 facings of aerosols

294 x 3 deep = 882 and 21 x 9 deep = 189 - Total 1071

108 facings of colour brush x 4 deep - Total 432

D1 DISPLAY STAND

Dimensions



DOUBLE ACRYLIC

Concentrated Paint



- Superior coverage
- Fast drying
- Excellent adhesion and durability
- VOC Compliant



Hycote double acrylic concentrated paints have been matched by the Hycote Technical team to 293 specific manufacturers and models. They use compressed aerosol technology, which means that with this 150ml size the consumer achieves the same coverage as a conventional 300ml size aerosol. This paint is fast drying, tough and hardwearing. It has excellent resistance to sunlight and colour fading, excellent adhesion to primed surfaces and is compatible with OEM finishes, acrylic and cellulosic paints. It comprises of solid, pearlescent and metallic finishes, primers and lacquer.

COLOUR BRUSH

Touch-up



- Quick and easy
- Fast drying
- Excellent adhesion and durability
- VOC Compliant

Hycote colour brushes have been matched by the Hycote Technical team to 98 specific manufacturers and models plus primers and lacquer. This paint is fast drying, tough and hardwearing. It has excellent resistance to sunlight and colour fading, excellent adhesion to primed surfaces and is compatible with OEM finishes, acrylic and cellulosic. It comprises of solid, pearlescent and metallic finishes, primers and lacquer. Hycote colour brushes are quick and easy to use for chips and scratches.



European leaders in the manufacture of aerosols and consumer chemicals

Salmon Fields, Royton, Oldham, OL2 6HZ, Tel: +44 (0) 161 627 0101 www.jamesbriggs.co.uk
