



# PAINTS AND COATINGS

RH2 DISPLAY STAND 2017

*Not just a car colour, use on....*



☒ PLASTIC



☒ WOOD



☒ CERAMIC




☒ METAL

**Hycote has manufactured paints, coatings and maintenance products in the UK since 1982.**

Working closely with the trade, independent retailers and consumers, we continuously strive to be the best. Our state of the art technical centre researches the latest coating technologies and houses the latest coating test equipment including accelerated weathering and corrosion testing. Hycote products give professional results with superior coverage, extreme durability, super fast drying with no runs or drips. Each of these industry standard tests are designed to simulate situations that could happen to your automotive during every day useage.

**THE CROSS HATCH TEST****Results**

Leading brand A



The paint film is cut in a cross pattern before pressure sensitive tape is applied. The tape is removed rapidly to assess adhesion of the paint to the substrate. The more the paint detaches from the surface of the substrate, the worse the level of adhesion. This illustrates the superior adhesion of Hycote red primer compared to leading brand A.

The Cross Hatch simulates scratches that regularly happen to automotive paintwork and the ability to adhere to the metal or filler without flaking.

**THE CONICAL MANDREL TEST****Results**

Leading brand B



The paint film is bent to an extreme angle in a conical mandrel. Any cracking or peeling of the paint demonstrates poor flexibility. These images demonstrate the superior flexibility of Hycote primer compared with leading brand B.

This test simulates a knock or dent to a panel and the paints ability to resist cracking.

## THE SPRAY COVERAGE TEST

### Results



A single coat of paint is applied to contrast cards and allowed to dry in a vertical position. The paint film is assessed for sag resistance and coverage. These images demonstrate superior coverage, sag and run resistance of Hycote primer compared with leading brand C.

Imagine spending hours filling and sanding to a flawless, smooth finish only to apply a thin coat of primer and it just running down the prepared area, let it dry, sand it down and start again! Not with Hycote “The Perfect Finish” every time.

## THE SURFACE FINISH TEST


### Results



Multiple coats of paint are applied to a contrast card until full coverage is obtained. The card is then dried and the surface appearance and smoothness accessed.

These images illustrate the bitty and uneven finish on leading brand D which is caused by incompatibility or undissolved resin of the paint.

*Notice the smoothness and shine of finish on the Hycote paint product.*



The Hycote exact colour match paint range in 150ml and a key range of 400ml and colour brush paints are now available in the new Hycote display stand.

The exact colour match paints have been matched by the Hycote Technical team to specific manufacturers and models.

The range consists of 150ml double acrylic concentrated paint with compressed aerosol technology, which means the consumer achieves up to the same coverage as a conventional 300ml size aerosol.

The colour brush 12.5ml range will cover any smaller job from repairing a chip on your car to hobby and craft projects.

The 400ml range covers all your needs from primers to top coats, very high temperature paints to wheel protection, lacquers to specialised paints, protective coatings to a rainbow of colours.


The Hycote paint stand is both striking and easy to shop, helping consumers find the coating or colour they are looking for easily.

The Hycote range will satisfy all your paint needs whatever the size or type of the project!

**400ml - 40 facings of aerosols  
x 6 deep - Total 240**

**12.5ml - 30 facings of colour brushes  
x 6 deep - Total 180**

**150ml - 182 facings of aerosols  
x 4 deep - Total 728**



DOUBLE ACRYLIC

Concentrated Paint



- Superior coverage
- Fast drying
- Excellent adhesion and durability
- VOC Compliant



Hycote double acrylic concentrated paints have been matched by the Hycote Technical team to 182 specific manufacturers and models. They use compressed aerosol technology, which means that with this 150ml size the consumer achieves the same coverage as a conventional 300ml size aerosol. This paint is fast drying, tough and hardwearing. It has excellent resistance to sunlight and colour fading, excellent adhesion to primed surfaces and is compatible with OEM finishes, acrylic and cellulosic paints. It comprises of solid, pearlescent and metallic finishes, primers and lacquer.

COLOUR BRUSH

Touch-up



- Quick and easy
- Fast drying
- Excellent adhesion and durability
- VOC Compliant

Hycote colour brushes have been matched by the Hycote Technical team to 23 specific manufacturers and models plus basics, primers and lacquer. This paint is fast drying, tough and hardwearing. It has excellent resistance to sunlight and colour fading, excellent adhesion to primed surfaces and is compatible with OEM finishes, acrylic and cellulosic. It comprises of solid, pearlescent and metallic finishes, primers and lacquer. Hycote colour brushes are quick and easy to use for chips and scratches.





<div> <div>Van AA Yellow</div> <div> <ul style="list-style-type: none"> <li>Superior coverage</li> <li>Fast drying</li> <li>Excellent adhesion and durability</li> </ul> </div> <div>400ml XUK480</div> </div>	<div> <div>Van Post Office Red</div> <div> <ul style="list-style-type: none"> <li>Superior coverage</li> <li>Fast drying</li> <li>Excellent adhesion and durability</li> </ul> </div> <div>400ml XUK481</div> </div>	<div> <div>Orange Ral 2003</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK990</div> </div>	<div> <div>Blue Ral 5012</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK994</div> </div>	<div> <div>Purple Velvet Metallic</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1024</div> </div>
<div> <div>Meadow Green</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1026</div> </div>	<div> <div>Sierra Beige</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1027</div> </div>	<div> <div>Russet Brown</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1025</div> </div>	<div> <div>Roman Bronze Metallic</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1028</div> </div>	<div> <div>Arizona Gold Metallic</div> <div> <ul style="list-style-type: none"> <li>Enhanced covering power</li> <li>Excellent adhesion &amp; durability</li> <li>Fast drying</li> </ul> </div> <div>400ml XUK1023</div> </div>



RH2 Side Shelf 1



<p><b>Grey Primer</b></p> <ul style="list-style-type: none"><li>• No runs, no drips</li><li>• Superior coverage power</li><li>• Excellent adhesion</li></ul> <p>400ml XUK03015</p>	<p><b>White Primer</b></p> <ul style="list-style-type: none"><li>• No runs, no drips</li><li>• Superior coverage power</li><li>• Excellent adhesion</li></ul> <p>400ml XUK0302</p>	<p><b>Plastic Primer White</b></p> <ul style="list-style-type: none"><li>• No runs, no drips</li><li>• Superior coverage power</li><li>• Excellent adhesion</li></ul> <p>400ml XUK610</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



RH2 Side Shelf 2



<p><b>Red Primer</b></p> <ul style="list-style-type: none"><li>• No runs, no drips</li><li>• Superior coverage power</li><li>• Excellent adhesion</li></ul> <p>400ml XUK0303</p>	<p><b>Plastic Primer Grey</b></p> <ul style="list-style-type: none"><li>• No runs, no drips</li><li>• Superior coverage power</li><li>• Excellent adhesion</li></ul> <p>400ml XUK612</p>	<p><b>Filler Primer</b></p> <ul style="list-style-type: none"><li>• High build</li><li>• Primes and prepares</li><li>• Perfect for small dents &amp; scratches</li></ul> <p>400ml XUK602</p>	<p><b>Etch Primer</b></p> <ul style="list-style-type: none"><li>• Tough and durable</li><li>• For priming bare metal</li><li>• Improved adhesion</li></ul> <p>400ml XUK433</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



<p><b>Clear Lacquer</b></p> <ul style="list-style-type: none"> <li>• High gloss finish</li> <li>• Acrylic formula</li> <li>• Protects from UV damage</li> </ul> <p>400ml XUK0232</p>	<p><b>Matt Lacquer</b></p> <ul style="list-style-type: none"> <li>• High gloss finish</li> <li>• Acrylic formula</li> <li>• Protects from UV damage</li> </ul> <p>400ml XUK993</p>	<p><b>Aluminium Coat</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK035</p>	<p><b>Chrome Look</b></p> <ul style="list-style-type: none"> <li>• Bright decorative finish</li> <li>• Striking shine</li> <li>• Excellent coverage</li> </ul> <p>400ml XUK477</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



<p><b>Extreme Heat Black</b></p> <ul style="list-style-type: none"> <li>• No runs, no drips</li> <li>• Superior coverage power</li> <li>• High temperature resistance</li> </ul> <p>400ml XUK1001</p>	<p><b>Wheel Paint Alloy</b></p> <ul style="list-style-type: none"> <li>• Excellent coverage</li> <li>• Highly durable</li> <li>• Weather resistant</li> </ul> <p>400ml XUK400</p>	<p><b>Wheel Paint Silver</b></p> <ul style="list-style-type: none"> <li>• Excellent coverage</li> <li>• Highly durable</li> <li>• Weather resistant</li> </ul> <p>400ml XUK402</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------





<p><b>Satin Black</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK0271</p>	<p><b>Gloss Black</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK0272</p>	<p><b>Bumper Black</b></p> <ul style="list-style-type: none"> <li>• Resistant to colour fade</li> <li>• Weather resistant</li> <li>• Professional results</li> </ul> <p>400ml XUK230</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



<p><b>Matt Black</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK027</p>	<p><b>Gloss White</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK032</p>	<p><b>Matt White</b></p> <ul style="list-style-type: none"> <li>• Superior coverage</li> <li>• Great durability</li> <li>• Excellent adhesion</li> </ul> <p>400ml XUK1000</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------